To: Hubbard, Scott[SHubbard@wnj.com]

Cc: Clark, Jacqueline[clark.jacqueline@epa.gov]; Asque, Gillian[asque.gillian@epa.gov]

From: Williams, Thomas

Sent: Fri 12/22/2017 1:08:21 AM

Subject: RE: Residential Well Water Data - Ramsdell Area

Scott, as I indicated earlier in our phone conversation, I have received these four messages and attachments. They are being forwarded to the program offices here. If I learn of any difficulties with the attachments, I will let you know and we can discuss next steps.

Tom M. Williams

Associate Regional Counsel

United States Environmental Protection Agency, Region 5

77 West Jackson Blvd. (mail code C-14J)

Chicago, Illinois 60604

PH: 312-886-0814

CONFIDENTIAL: This message and any attachments may contain information that is privileged or otherwise exempt from disclosure under applicable law. Do not disclose without first consulting the Office of Regional Counsel. If you think that you received this email in error, then please notify the sender immediately.

From: Hubbard, Scott [mailto:SHubbard@wnj.com]
Sent: Thursday, December 21, 2017 12:01 PM
To: Williams, Thomas <williams.tom@epa.gov>

Subject: Residential Well Water Data - Ramsdell Area

<u>Please reply to this email message to confirm your receipt of the message and the attachments described herein.</u>

Tom,

This is the fourth and last of four email messages forwarding analytical results for residential well water samples. Attached are Excel and GIS Shape files containing well water data for residences in the Ramsdell area. Please refer to my earlier message for details.

Scott

Scott D. Hubbard | Partner

Warner Norcross & Judd LLP

900 Fifth Third Center | 111 Lyon Street NW | Grand Rapids, MI 49503-2487
p 616.752.2157 | m 616.450.3657
shubbard@wnj.com | Profile | V-Card

Notice: This e-mail message and any attachments are for the confidential use of the intended recipient. If that isn't you, please do not read the message or attachments, or distribute or act in reliance on them. If you have received this message by mistake, please immediately notify us and delete this message and any attachments. Thank you.